


1. Introduction

We focus on linear regression problems that are **under-determined**, *i.e.*, we have the same or more attributes than observations ($n \leq d$).


$$\mathbf{y} = \mathbf{X}\mathbf{w} + \epsilon, \quad \epsilon \sim \mathcal{N}(\mathbf{0}, \mathbf{I}\sigma^2).$$



A typical regularization assumes **sparsity** in $\mathbf{w}$.

2. Sparsity Assumption

Introduced by setting a **sparse enforcing prior** for $\mathbf{w}$, *e.g.*, Laplace, Student's T, Horseshoe or spike-and-slab.




Discrete-mixture prior: $p(\mathbf{w}_i) = \rho\delta_0 + (1 - \rho)\pi(\mathbf{w}_i)$.

$$\pi(\mathbf{w}_i) = \int \mathcal{N}(\mathbf{w}_i | \mathbf{0}, \lambda_i^2) \frac{\lambda_i}{(\lambda_i^2 + 1)^{3/2}} d\lambda_i = \frac{1}{\sqrt{2\pi}} \left(1 - |\mathbf{w}_i| \frac{\Phi(-|\mathbf{w}_i|)}{\mathcal{N}(\mathbf{w}_i | \mathbf{0}, 1)} \right)$$

is the Strawderman-Bergen prior which has a **closed form convolution** with the Gaussian distribution.


3. Multi-task Learning

There may be several learning tasks available for induction. Multi-task methods try to exploit **similarities** among tasks to improve the induction process.




4. Typical Hypothesis

Tasks **share relevant and irrelevant** features.



5. Something More Reasonable

Outlier tasks and **outlier features**.




6. Robust Prior Distribution

Define $\Omega = \{\mathbf{z}, \omega, \gamma, \{\tau^{(k)}\}_{k=1}^K, \{\eta^{(k)}\}_{k=1}^K\}$. The prior for $\mathbf{W}$ is $p(\mathbf{W} | \Omega) = \prod_{i=1}^d \prod_{k=1}^K p(\mathbf{w}_i^{(k)} | \Omega)$, with $p(\mathbf{w}_i^{(k)} | \Omega) =$

$$\left\{ \left[\pi(\mathbf{w}_i^{(k)})^{\tau_i^{(k)}} \delta_0^{1-\tau_i^{(k)}} \right]^{\omega_k} \left[\pi(\mathbf{w}_i^{(k)})^{\gamma_i} \delta_0^{1-\gamma_i} \right]^{1-\omega_k} \right\}^{1-z_i} \times \left\{ \pi(\mathbf{w}_i^{(k)})^{\eta_i^{(k)}} \delta_0^{1-\eta_i^{(k)}} \right\}^{z_i},$$

where δ_0 is a point of probability mass at the origin.



5. Dirty Multi-task Feature Selection

Gaussian Likelihood

$$\mathbf{y}^{(k)} \sim \mathcal{N}(\mathbf{X}^{(k)}\mathbf{w}^{(k)}, \mathbf{0}, \mathbf{I}\sigma^2_{(k)}), \quad \forall k.$$

Noise hyper-prior

$$\mathbf{w}_i^{(k)} \sim \text{RobustPrior}(\mathbf{z}_i, \omega_k, \gamma_i, \tau_i^{(k)}, \eta_i^{(k)}), \quad \forall i, k.$$
$$\sigma^2_{(k)} \sim \text{InvGam}(5, 5), \quad \forall k.$$

Independence assumption

$$\mathbf{z}_i \sim \text{Bernoulli}(\rho_z), \quad \forall i,$$
$$\omega_k \sim \text{Bernoulli}(\rho_\omega), \quad \forall k,$$
$$\gamma_i \sim \text{Bernoulli}(\rho_\gamma), \quad \forall i,$$
$$\tau_i^{(k)} \sim \text{Bernoulli}(\rho_\tau), \quad \forall i, k,$$
$$\eta_i^{(k)} \sim \text{Bernoulli}(\rho_\eta), \quad \forall i, k,$$


Prob. hyper-prior

$$\rho_z \sim \text{Beta}(1, 1),$$
$$\rho_\omega \sim \text{Beta}(1, 1),$$
$$\rho_\gamma \sim \text{Beta}(1, 1),$$
$$\rho_\tau \sim \text{Beta}(1, 1),$$
$$\rho_\eta \sim \text{Beta}(1, 1),$$

7. Expectation Propagation

Approximates each factor in $p(\mathbf{Y}, \mathbf{W}, \Omega, \rho, \sigma^2 | \mathcal{X})$ with an unnormalized distribution inside an **exponential family** $\mathcal{F}$. $\mathcal{F} \rightarrow$ Gaussians on $\mathbf{W}$, Bernoullis on Ω , I. Gammas on σ^2 and Betas on ρ .

Example of factors that need approximation:



8. Experiments with Synthetic Data


$N = 200$, $d = 2,000$ and we use for $\mathbf{W}$ the pattern above. $K = 12$, $\sigma^2_{(k)} = 0.5, \forall k$ and $\mathbf{w}_i^{(k)} \sim \text{Student}(\text{df} = 5)$.

Method	Test RMSE	Rec. Error	Training Time
DMFS	0.73 ± 0.04	0.22 ± 0.02	21.29 ± 0.2
DM	0.86 ± 0.05	0.50 ± 0.03	150.35 ± 10.0
RMFL	0.90 ± 0.05	0.56 ± 0.03	95.42 ± 5.0
MFS _{Dep}	0.77 ± 0.06	0.32 ± 0.04	2 · 10 ³ ± 4 · 10 ²
MFS	0.81 ± 0.06	0.37 ± 0.04	6.7 ± 1.7
STL	0.78 ± 0.07	0.33 ± 0.06	4.76 ± 0.4


MFS and STL are **particular cases** of DMFS.

Several other experiments in the paper!

Average posterior prob. of the binary latent variables.



Average prob. that each coefficient is different from zero.



9. Summary and Conclusions of the Research Work

(1) - Most methods for multi-task feature selection assume jointly relevant and irrelevant features, which may be **too restrictive**. **(2)** - A robust prior allows tasks with **specific** relevant and irrelevant coefficients, and features to be **arbitrarily** relevant or irrelevant. **(3)** - Exact inference is infeasible under such a prior. However, a **quadrature-free** expectation propagation algorithm is possible. **(4)** - Several experiments show **gains** in the prediction performance and in the identification of relevant features for prediction. **(5)** - Our new prior is useful to **better understand** the data because it allows to identify outlier tasks and outlier features.